



Solesbee's
Equipment & Attachments LLC



2011 Product Guide

4150 Fairburn Road • Douglasville, GA 30135

Ph. 770-949-9231 • Fax 770-947-9916

1-800-419-8090

www.solesbees.com





Dear Dealer/Heavy Equipment Leaders:

We welcome your association with
Solesbee's Equipment and Attachments LLC.

As an informed leader in your industry, you know that there are numerous resources and products offered in today's market place. I am sure you could almost trip over the literature from companies who promise to cut costs and produce savings for your equipment. But when did you last discover quality resources that help create sustainable changes to the operational challenges you face on a daily basis?

At Solesbee's Equipment & Attachments LLC we are proud to offer you timesaving, practical and exclusive well-designed implements that can make a difference in your customer's daily projects. Solesbee's Equipment & Attachments, LLC is totally committed to providing efficient, consistent quality, on-time availability, and solid performance with an honest guarantee. Our primary responsibility is not to sell you an attachment, but rather to help you sell the attachment.

We encourage you to review our information and consider how we can assist you in delivering high quality attachments. We are dedicated to making the customer a partner through our association with you.

Respectfully yours,

A handwritten signature in black ink, appearing to read 'D. Jenkins'.

David Jenkins
President

A handwritten signature in black ink, appearing to read 'Gage H. Hunt'.

Gage H. Hunt
Sales Manager

4150 Fairburn Road • Douglasville, GA 30135
Ph. 770-949-9231 • Fax 770-947-9916

1-800-419-8090
www.solesbees.com

Contents

Excavator Attachments

| | |
|---------------------------------|----|
| Excavator Thumbs | 6 |
| Excavator Hydraulic Thumbs | 6 |
| Excavator Rakes | 6 |
| Mini-Excavator & Backhoe Thumbs | 7 |
| Hydraulic Thumb Kits | 7 |
| Excavator Stabilizer Arm Shears | 8 |
| Hydraulic Excavator Shears | 8 |
| Excavator Stump Pullers | 8 |
| Excavator Grapples | 9 |
| Excavator Demolition Grapples | 9 |
| Excavator Concrete Crushers | 9 |
| Excavator Stump Pullers | 9 |
| Excavator Rippers | 10 |
| Excavator & Back Hoe Buckets | 10 |

Loader Attachments

| | |
|------------------------------|----|
| Loader Rakes | 12 |
| Loader Rakes with Top Clamp | 12 |
| High Capacity Loader Rakes | 12 |
| Loader Bucket Rakes | 13 |
| Quick Coupler Specifications | 13 |

Dozer Attachments

| | |
|------------------------------|----|
| Dozer Blade-Mounted Rakes | 15 |
| Dozer Rakes with Brush Guard | 15 |
| Dozer Full Face Rakes | 15 |

Fork Attachments

| | |
|---------------------|----|
| Fork Carriages | 17 |
| Forged Bucket Forks | 17 |

Bucket Fork Parts

| | |
|---------------|----|
| Shaft Collars | 17 |
| Fork Brackets | 17 |

All Attachments made in USA



Made in USA

Skid Steer Attachments

| | |
|-------------------------|----|
| Grapples | 19 |
| Rock Grapples | 19 |
| Grapple Buckets | 19 |
| Pallet Fork with Frame | 20 |
| Farm Tractor Grapples | 20 |
| Rakes | 20 |
| Heavy Duty Tree Shears | 21 |
| Brush Cutters | 21 |
| Augers | 21 |
| Trenchers | 21 |
| Stump Grapple Buckets | 22 |
| Stump Buckets | 22 |
| Tree Booms | 22 |
| High Back Hay Spears | 23 |
| Hay Spears | 23 |
| Quick Attach Plates | 23 |
| 3-Point Hitch | 23 |
| Angle Brooms | 24 |
| 4-N-1 Buckets | 24 |
| Rock Buckets | 24 |
| Long Bottom Buckets | 25 |
| Low Profile Buckets | 25 |
| Tooth Bars | 25 |
| Snow Plows | 26 |
| Snow Pushers | 26 |
| Snow and Litter Buckets | 26 |

Attachments Parts & Accessories

| | |
|---------------------------|----|
| Manual Thumb Pins | 27 |
| Thumb Stiff Arms | 27 |
| Thumb Baseplate | 27 |
| Hydraulic Thumb Main Pins | 28 |
| Hydraulic Cylinder Pins | 28 |
| Dozer Rake Brackets | 28 |
| Hydraulic Cylinders | 29 |
| Cylinder Bushings | 29 |
| Hydraulic Thumb Bushings | 29 |
| Retaining Lock Collars | 29 |

Proud Member of



Excavator Attachments



Excavator Attachments

Excavator Thumbs



- Handle stumps, trees, brush, logs, pipe and stone material.
- Ideal for site-prep, demolition and waste recycling.
- Folds away, leaving no interference with digging and other operations.
- Can be installed easily by qualified welders in approximately 2 hours.
- Includes all pins, and hardware.
- Available for any size or model excavator.

| Solesbee Model # | Machine Weight (lbs.) | Height | Width | Weight |
|------------------|-----------------------|-----------------------------|-------|--------|
| SET - .75 | 8,000 - 10,000 | 30" | 10" | 225 |
| SET - 1 | 11,000 - 18,000 | 40" | 12" | 350 |
| SET - 1.5 | 19,000 - 29,000 | 48" | 18" | 600 |
| SET - 2 | 30,000 - 40,000 | 54" | 25" | 750 |
| SET - 2.5 | 39,000 - 45,000 | 58" | 30" | 825 |
| SET - 3 | 41,000 - 59,000 | 62" | 30" | 1050 |
| SET - 4 | 60,000 - 79,000 | 68" | 32" | 1250 |
| SET - 5 | 80,000 - 110,000 | 72" | 32" | 1350 |
| SET - 6 | 111,000 and up | Please call for Info | | |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Hydraulic Excavator Thumbs



- Hydraulic thumbs available for any excavator.
- Pins, cylinder and factory bushings supplied.
- Hydraulic thumbs mount to bucket and boom arm or bucket and coupler.
- Heavy duty cylinder made in USA.
- Does not include jump hoses.
- We supply worksheet to confirm measurements for exact fit.

| Solesbee Model # | Machine Weight (lbs.) | Tip Radius | Width | Approximate Weight (lbs.) |
|------------------|-----------------------|-----------------------------|-------|---------------------------|
| SET - .75H | 8,000 - 10,000 | 32" | 11" | 250 |
| SET - 1H | 11,000 - 18,000 | 40" | 12" | 325 |
| SET - 1.5H | 19,000 - 29,000 | 48" | 18" | 800 |
| SET - 2H | 30,000 - 40,000 | 56" | 25" | 950 |
| SET - 3H | 45,000 - 59,000 | 64" | 30" | 1,250 |
| SET - 4H | 60,000 - 79,000 | 73" | 36" | 1,450 |
| SET - 5H | 80,000 - 110,000 | 78" | 36" | 1,800 |
| SET - 6H | 111,000 and up | Please call for Info | | |

Note: Specifications (dimensions & weight are approximate and subject to change without notice.

Excavator Rakes



- Replaceable weld-on wear strips.
- Simple installation - easily interchanges with bucket.
- Can also be used with quick coupler.
- Rake will work with any existing manual or hydraulic thumb.
- Various widths available to fit your application.
- Available for any size excavator.
- Custom sizes and widths available to meet your needs.

| Solesbee Model # | Machine Weight (lbs) | Width | Approx. Weight (lbs) |
|------------------|----------------------|-----------------------------|----------------------|
| SGR-1 | 11,000 TO 18,000 | 30" | 750 |
| SGR-1.5 | 19,000 TO 29,000 | 36" | 1400 |
| SGR-2 | 30,000 TO 40,000 | 42" | 1800 |
| SGR-3 | 41,000 TO 59,000 | 48" | 2200 |
| SGR-4 | 60,000 TO 79,000 | 54" | 2800 |
| SGR-5 | 80,000 TO 110,000 | 60" | 3500 |
| SGR-6 | 111,000 and UP | Please call for Info | |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Excavator Attachments

Mini Excavator & Backhoe Thumbs



- Same basic features as larger excavator thumbs.
- Easily installed by qualified welders in approximately 2 hours.
- All pins and hardware are included.
- Handle stumps, trees, brush, logs and pipe.
- Ideal for demolition and waste recycling.
- Mounts to boom arm and folds away, leaving no interference with digging and other operations.
- Available for any size backhoe loader or mini-excavator.

| Solesbee Model # | Machine Weight | Width | Tip Radius | Approx. Weight (lbs) |
|--|------------------|-------|------------|----------------------|
| Stabilizer Arm Thumbs | | | | |
| SET-.5 | 3,000 TO 7,000 | 9" | 24" | 175 |
| SET-.75 | 8,000 TO 11,000 | 11" | 32" | 325 |
| SET-1 | 12,000 TO 19,000 | 12" | 40" | 300 |
| <i>Note: Specifications, dimensions & weight are approximate and subject to change without notice.</i> | | | | |

Hydraulic Mini Excavator & Backhoe Thumbs



- Same basic features as larger excavator thumbs.
- Easily installed by qualified welders in approximately 2 hours.
- All pins and hardware are included.
- Handle stumps, trees, brush, logs and pipe.
- Ideal for demolition and waste recycling.
- Mounts to boom arm and folds away, leaving no interference with digging and other operations.
- Pins, cylinder and factory bushings supplied.
- Available for any size backhoe loader or mini-excavator.
- We supply worksheet to confirm measurements for exact fit.

| Solesbee Model # | Machine Weight | Width | Tip Radius | Approx. Weight (lbs) |
|--|------------------|-------|------------|----------------------|
| Hydraulic Thumbs | | | | |
| SET-.5H | 3,000 TO 7,000 | 9" | 24" | 200 |
| SET-.75H | 8,000 TO 10,000 | 11" | 32" | 250 |
| SET-1H | 11,000 TO 19,000 | 12" | 40" | 325 |
| <i>Note: Specifications, dimensions & weight are approximate and subject to change without notice.</i> | | | | |

Hydraulic Thumb Kits

- Please call for info and pricing.



Excavator Attachments

Excavator Wood Stump Shears



- Shear and split stumps, logs, ties, poles, and roots for recycling.
- Pull stumps from the ground with ease.
- Separate dirt, rocks and other unwanted debris.
- Available with hydraulic cylinder or stabilizer arm.
- See video demo at www.solesbeesequipment.com

| Solesbee Model # | Excavator Weight | Opens To | Approximate Weight (lbs.) |
|------------------|------------------|----------|---------------------------|
| SESS-3 | 50,000 - 64,000 | 64" | 4,000 |
| SESS-4 | 65,000 - 85,000 | 68" | 4,500 |
| SESS-5 | 86,000 - 110,000 | 72" | 5,100 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Hydraulic Excavator Wood Stump Shears



- Shear and split stumps, logs, ties, poles, and roots for recycling.
- Pull stumps from the ground with ease.
- Separate dirt, rocks and other unwanted debris.
- Available with hydraulic cylinder or stabilizer arm.
- See video demo at www.solesbees.com

| Solesbee Model # | Excavator Weight | Opens To | Approximate Weight (lbs.) |
|------------------|------------------|----------|---------------------------|
| SESS-3H | 50,000 - 64,000 | 64" | 4,300 |
| SESS-4H | 65,000 - 85,000 | 68" | 4,800 |
| SESS-5H | 86,000 - 110,000 | 72" | 5,400 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Excavator Stump Pullers



- Rip out stumps, roots and pipes.
- Easily installs to excavator stick or quick coupler.
- Bolt-on tooth.
- Available for any size excavator or backhoe loader.
- All pins and hardware are included.
- Call for info and pricing.



Excavator Attachments

Excavator Grapples



- Land clearing, demolition, waste recycling, scrap yards, etc.
- Simple installation - no hydraulics needed.
- Grapples come with all pins & hardware.
- Once stabilizer bracket is welded to arm, unit easily interchanges with bucket.
- Available for any size excavator or backhoe loader.
- Custom sizes and widths available for all models.

| Solesbee Model # | Machine Weight (lbs) | Width | Height | Opens To | Tines Top/Bottom | Approximate Weight (lbs.) |
|------------------|----------------------|-----------------------------|--------|----------|------------------|---------------------------|
| SEG-1 | 11,000 TO 18,000 | 25" | 42" | 58" | 3/2" | 1400 |
| SEG-1.5 | 19,000 TO 29,000 | 30" | 50" | 71" | 4/3" | 1800 |
| SEG-2 | 30,000 TO 40,000 | 36" | 58" | 80" | 5/4" | 2600 |
| SEG-3 | 41,000 TO 59,000 | 42" | 68" | 100" | 5/4" | 3200 |
| SEG-4 | 60,000 TO 79,000 | 48" | 74" | 105" | 5/4" | 4000 |
| SEG-5 | 80,000 TO 110,000 | 55" | 80" | 112" | 5/4" | 5000 |
| SEG-6 | 111,000 and up | Please call for info | | | | |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Excavator Demolition Grapples



- High strength and wear resistant for sorting and loading the toughest demolition debris.
- Mount as a pin-on or with a pin style quick coupler for speed and ease in changing from other attachments.
- Extra strong construction, designed for demolition work.
- Constructed of wear resistant steel.
- No extra valves or hoses required.
- Available for any size excavator.
- See video demo at www.solesbees.com

Excavator Concrete Crushers



- Increase the productivity and efficiency of your excavator.
- Ideal for separating and sorting concrete from steel.
- Down size concrete quickly.
- All pins, brackets and hardware are included.
- Weld on replaceable teeth.
- See video demo at www.solesbees.com

| Solesbee Model # | Machine Weight (lbs) | Height | Width | Opens To | Approx. Weight (lbs) |
|------------------|----------------------|--------|-------|----------|----------------------|
| SECC-3 | 50,000 TO 65,000 | 21" | 20" | 200 | 4,520 |
| SECC-4 | 65,000 TO 85,000 | 26" | 24" | 400 | 4,748 |
| SECC-5 | 86,000 TO 110,000 | 30" | 27" | 500 | 4,998 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.



Excavator Attachments

Excavator Rippers



- Rip out stumps, roots and pipes.
- Bust up frozen ground
- Easily installs to excavator stick or quick coupler.
- Bolt-on tooth.
- Available for any size excavator or backhoe loader.
- All pins and hardware are included.

| Solesbee Model # | Machine Weight (lbs) | Length | Penetration | Approx. Weight (lbs) |
|------------------|----------------------|--------|-------------|----------------------|
| SER-.75 | 5,000 TO 10,000 | 21" | 20" | 200 |
| SER-1 | 11,000 TO 18,000 | 26" | 24" | 400 |
| SER-1.5 | 19,000 TO 29,000 | 30" | 27" | 500 |
| SER-2 | 30,000 TO 40,000 | 33" | 29" | 700 |
| SER-3 | 39,000 TO 59,000 | 46" | 42" | 1200 |
| SER-4 | 60,000 TO 79,000 | 50" | 45" | 1500 |
| SER-5 | 80,000 and 110,000 | 58" | 53" | 2000 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Excavator and Back Hoe Buckets



- Buckets contain additional wear material in the base edge and bottom wear strips.
- Available for all makes and models of backhoes and excavators.
- Standard widths from 12" to 36".
- Customized buckets built to your specifications.
- Heavy duty, severe duty, standard duty and ditching buckets to use with or without quick couplers available.
- Call us for info and pricing.



Loader Attachments



Loader Attachments

Loader Rakes



- Load or pile logs, brush, rocks, demolition debris and many other materials.
- Also ideal for separating and sorting materials.
- Rakes are available for any model loader.
- Available with either pin on or quick hitch mounting arrangement.

| Solesbee Model # | Machine Weight (lbs.) | Teeth | Width | Approx. Weight (lbs.) |
|------------------|-----------------------|-------|-------|-----------------------|
| SELR-1 | 13,000 TO 15,000 | 7 | 93" | 1700 |
| SELR-2 | 16,000 TO 20,000 | 7 | 97" | 2550 |
| SELR-3 | 21,000 TO 25,000 | 8 | 110" | 2775 |
| SELR-4 | 26,000 TO 34,000 | 8 | 120" | 2950 |
| SELR-5 | 35,000 TO 39,000 | 9 | 124" | 4000 |
| SELR-6 | 40,000 & UP | 9 | 130" | 5000 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Loader Rakes with Top Clamp



- Load or pile logs, brush, rocks, demolition debris and many other materials.
- Also ideal for separating and sorting materials.
- Rakes are available for any model loader.
- Available with either pin on or quick hitch mounting arrangements.
- Hoses plumbed to center on back of rake.

| Solesbee Model # | Machine Weight (lbs.) | Tines | Width | Approx. Weight (lbs.) |
|------------------|-----------------------|-------|-------|-----------------------|
| SELR-1TC | Up TO 19,000 | 7 | 93" | 2,300 |
| SELR-2TC | 20,000 TO 30,000 | 8 | 97" | 3,400 |
| SELR-3TC | 31,000 TO 44,000 | 8 | 110" | 3,600 |
| SELR-4TC | 45,000 TO 70,000 | 8 | 110" | 3,700 |
| SELR-5TC | 71,000 TO 100,000 | 9 | 120" | 5,500 |
| SELR-6TC | 101,000 & UP | 9 | 130" | 6,400 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

High Capacity Loader Rakes



- Load or pile logs, brush, rocks, demolition debris and many other materials.
- Also ideal for separating and sorting materials.
- Rakes are available for any model loader.
- Available with either pin on or quick hitch mounting arrangements.
- Hoses plumbed to center on back of rake.

| Solesbee Model # | Machine Weight (lbs.) | Tines | Width | Approx. Weight (lbs.) |
|------------------|-----------------------|-------|-------|-----------------------|
| SHLR-1TC | Up TO 19,000 | 7 | 93" | 2,700 |
| SHLR-2TC | 20,000 TO 30,000 | 8 | 97" | 3,900 |
| SHLR-3TC | 31,000 TO 44,000 | 8 | 110" | 4,100 |
| SHLR-4TC | 45,000 TO 70,000 | 8 | 110" | 4,200 |
| SHLR-5TC | 71,000 TO 100,000 | 9 | 120" | 5,900 |
| SHLR-6TC | 101,000 & UP | 9 | 130" | 7,800 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Loader Attachments

Loader Bucket Rakes




- Enable your loader to perform land clearing jobs such as raking brush and piling trees and limbs.
- Solesbee rakes are available for any size or model loader bucket.
- Supplied with all pins, brackets and hardware for easy installation.
- Rake can be installed by a qualified welder in 1 to 3 hours.
- Rake can be quickly mounted or dismounted.
- It can also be flipped to the top and secured for digging, loading and other operations.

| Solesbee Model # | Machine Weight (lbs.) | Tooth Length | Tooth Spacing | No. of Teeth | Approximate Weight (lbs.) |
|------------------|-----------------------|--------------|---------------|--------------|---------------------------|
| SBR-1 | Up To TO 19,000 | 16" | 12" - 15" | 6 | 500 |
| SBR-2 | 20,000 TO 30,000 | 21" | 12" - 15" | 7 | 1000 |
| SBR-3 | 31,000 TO 44,000 | 26" | 12" - 15" | 7 to 8 | 1500 |
| SBR-4 | 45,000 TO 70,000 | 29" | 12" - 16" | 8 | 2400 |
| SBR-5 | 71,000 TO 100,000 | 34" | 12" - 16" | 9 | 3400 |
| SBR-6 | 101,000 and Up | 40" | 12" - 16" | 10 to 14 | 4500 |

Larger sizes quoted upon request.

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Quick Coupler Specifications



| Class | Series | T | R | D1 | D2 | CL |
|-------------|---------|------|-------|------|------|-------|
| Backhoe | 84 | 1.50 | 13.00 | 1.56 | 2.03 | 24.38 |
| Backhoe | 580 | 1.50 | 17.32 | 1.56 | 2.03 | 31.38 |
| Backhoe | DEERE E | 1.00 | 20.33 | 1.71 | 2.62 | 38.20 |
| Backhoe | KOM.WB | 1.50 | 17.67 | 1.81 | 2.03 | 29.38 |
| 200/300/500 | 416 | 1.50 | 16.27 | 2.06 | 3.03 | 30.62 |
| Non-Current | 417 | 1.50 | 20.67 | 2.06 | 3.03 | 26.97 |
| 600 | 418 | 1.50 | 20.67 | 2.06 | 3.03 | 32.75 |
| 700/800 | 420 | 2.00 | 21.12 | 2.06 | 4.03 | 29.00 |
| Non-Current | D | 1.50 | 21.68 | 2.06 | 2.28 | 27.38 |
| Non-Current | FR | 1.50 | 26.25 | 2.06 | 3.03 | 32.50 |
| Non-Current | G | 1.50 | 16.27 | 2.06 | 3.03 | 25.40 |
| Cat | IT28 | 1.50 | 19.93 | 2.00 | 2.48 | 22.44 |
| Cat | IT38 | 1.50 | 22.79 | 2.06 | 3.09 | 36.25 |
| 200/300/600 | VOL 120 | 1.50 | 24.26 | 1.98 | 2.42 | 39.36 |
| | BALD1 | 5.00 | 22.75 | 1.50 | 4.00 | 26.50 |
| 200/300/500 | BALD2 | 5.00 | 21.00 | 2.00 | 4.00 | 20.75 |
| 600/700 | BALD3 | 5.00 | 20.60 | 2.00 | 5.00 | 23.50 |
| 800/900 | BALD4 | 6.00 | 30.25 | 2.36 | 6.00 | 59.50 |
| 100 | 304 | 1.25 | 12.34 | 1.57 | 1.58 | 34.88 |
| 700/800 | VOL 150 | 2.00 | 30.69 | 2.97 | 3.25 | 41.38 |

Dozer Attachments



Dozer Attachments

Dozer Blade Mounted Rakes



- Furnished with all pins and brackets for easy installation.
- Rake can be installed by qualified welder in less than 2 hours.
- After brackets have been installed, rake can be quickly mounted or dismantled.

| Solesbee Model # | Tooth Length | Opening at Tips | No. of Teeth | Tooth Width | Case | Cat | Dresser | John Deere | Komatsu |
|------------------|--------------|-----------------|--------------|-------------|--------------|--|----------------|------------|--------------------|
| SEFR-3 | 14" | 11" | 6-8 | 1.25" | 350-550 | D-3 | TD-7 | 350, 400 | D-21 |
| SEFR-4 | 15" | 12" | 7-9 | 1.25" | 650-850 | D-4B, D-4C D-4E | TD-8 TD-9 | 450, 550 | D-31, D-37 |
| SEFR-5 | 18" | 13" | 7-9 | 2.00" | 1150 | D-4H, D-5B D-5C, D-5D | | 650 | D-41, D-45 D-53 |
| SEFR-6 | 20" | 14" | 8-9 | 2.00" | 1450 1550 | D-5H, D-5M, D-6C D-6D, D-6E D-6H, D-6M | TD-12 TD-15 | 750, 850 | D-58 D-63, D-65 |
| SEFR-7 | 22" | 17" | 8-9 | 2.00" | — | D-6R, D-7F, D-7G | TD-20 | — | D-68, D-83 |
| SEFR-8 | 24" | 17" | 9 | 2.00" | — | D-7H, D7R, D8 | TD-25 | — | D-85 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Dozer Blade Rakes with Brush Guard



- Severe duty rakes for the most rugged clearing applications.
- Also available for mounting to C-Frame.
- Rakes are available for any model dozer.
- Brush Guard is approx 18" above top of blade.

| Solesbee Model # | Tooth Length | Opening at Tips | No. of Teeth | Tooth Width | Case | Cat | Dresser | John Deere | Komatsu |
|------------------|--------------|-----------------|--------------|-------------|--------------|--|----------------|------------|--------------------|
| SRBG-3 | 14" | 11" | 6-8 | 1.25" | 350-550 | D-3 | TD-7 | 350, 400 | D-21 |
| SRBG-4 | 15" | 12" | 7-9 | 1.25" | 650-850 | D-4B, D-4C D-4E | TD-8 TD-9 | 450, 550 | D-31, D-37 |
| SRBG-5 | 18" | 13" | 7-9 | 2.00" | 1150 | D-4H, D-5B D-5C, D-5D | | 650 | D-41, D-45 D-53 |
| SRBG-6 | 20" | 14" | 8-9 | 2.00" | 1450 1550 | D-5H, D-5M, D-6C D-6D, D-6E D-6H, D-6M | TD-12 TD-15 | 750, 850 | D-58 D-63, D-65 |
| SRBG-7 | 22" | 17" | 8-9 | 2.00" | — | D-6R, D-7F, D-7G | TD-20 | — | D-68, D-83 |
| SRBG-8 | 24" | 17" | 9 | 2.00" | — | D-7H, D7R, D8 | TD-25 | — | D-85 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Full Face Dozer Rake



- Ideal for separating, sorting and clearing materials.
- Load or pile logs, brush, rocks, demolition debris and many other materials.
- Rakes are available for any model Dozer.
- Call for info and pricing.

Fork Attachments



Fork Attachments

Fork Carriages and Forks



- Fully forged with a certified 3 to 1 strength factor.
- Available in either pin on or quick hitch mounting arrangements.
- Available with any width frame and fork combination.
- Forks can be fixed or adjustable.
- Available floating or non-floating.

| Solesbee Model # | Machine Weight (lbs.) | Fork Length | Width | Approx. Weight (lbs.) |
|------------------|-----------------------|-------------|-----------|-----------------------|
| SELF-1 | 13,000 TO 15,000 | 42-48-60 | 60-72-84 | 1000 |
| SELF-2 | 16,000 TO 20,000 | 48-60-72 | 60-72-84 | 1700 |
| SELF-3 | 21,000 TO 25,000 | 60-72 | 84-96-108 | 2200 |
| SELF-4 | 26,000 TO 34,000 | 60-72 | 84-96-108 | 2600 |
| SELF-5 | 35,000 TO 39,000 | 60-72-96 | 84-96-108 | 4000 |
| SELF-6 | 40,000 & UP | 60-72-96 | 96-108 | 4400 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Forged Bucket Fork Kits



- Fully forged with a certified 3 to 1 strength factor.
- Kit includes weld on brackets, rod, collars and forks.
- Economical and practical.

| Solesbee Model # | Fork Height | Fork Length | Fork Dimension | Load Capacity | Brackets | Adjustable Width |
|--------------------|-------------|-------------|----------------|---------------|----------|------------------|
| SBF-40-42 | 48" | 42" | 1.5" x 3" | 4,000 | 4 | 72" |
| SBF-40-48 | 48" | 48" | 1.5" x 3" | 4,000 | 4 | 72" |
| SBF-50-42 | 48" | 42" | 1.5" x 4" | 5,000 | 4 | 72" |
| SBF-50-48 | 48" | 48" | 1.5" x 4" | 5,000 | 4 | 72" |
| SBF-65-48 | 48" | 48" | 1.75" x 4" | 6,500 | 4 | 72" |
| SBF-65-55 | 55" | 48" | 1.75" x 4" | 6,500 | 4 | 72" |
| SBF-80-66 | 66" | 48" | 2" x 4" | 8,000 | 4 | 72" |
| SBF-100-74S | 74" | 48" | 2" x 5" | 10,000 | 5 | 72" |
| SBF-100-74L | 74" | 72" | 2" x 5" | 10,000 | 5 | 72" |
| SBF-200-74 | 74" | 54" | 2.5" x 6" | 21,500 | 5 | 72" |

Bucket Fork Parts



| Solesbee Model # | Shaft Collar |
|------------------|--------------|
| SBF-CLR | 2.125" |



| Solesbee Model # | Fork Bracket |
|------------------|--------------|
| SBF-13R 1 | 2.0" |

Skid Steer Attachments



Skid Steer Attachments

Skid Steer Grapple Rakes



- Load or pile logs, brush, rocks, demolition debris and many other materials.
- The Skid Steer Grapple Rake is also ideal for separating and sorting materials.
- Heavy duty industrial cylinders
- Tines 8 7/8" apart.
- 8 greasable fittings.
- Universal skid steer hook-up.
- Hose kit and Quick Connect fittings included.

| Solesbee Model # | Width | Height | Depth | Opening | Teeth | Approximate Weight (lbs.) |
|------------------|-------|--------|-------|---------|-------|---------------------------|
| SSG-166 | 66" | 35" | 32" | 39" | 8 | 800 |
| SSG-173 | 73" | 35" | 32" | 39" | 9 | 850 |
| SSG-184 | 84" | 35" | 32" | 39" | 10 | 900 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Skid Steer Rock Grapples



- The Skid Steer Rock Grapple is ideal for separating rocks from other materials.
- Load or pile logs, brush, demolition debris and many other materials.
- Tines are 4 7/8" apart.
- Replaceable bucket teeth.
- Cutting edge.
- Heavy duty industrial cylinders
- 8 greasable fittings and universal skid steer hook-up.
- Hose kit and Quick Connect fittings included.

| Solesbee Model # | Width | Height | Depth | Opening | Teeth | Approximate Weight (lbs.) |
|------------------|-------|--------|-------|---------|-------|---------------------------|
| SERG-166 | 66" | 42" | 32" | 46" | 7" | 800 |
| SERG-173 | 73" | 42" | 32" | 46" | 8" | 850 |
| SERG-184 | 84" | 42" | 32" | 46" | 9" | 900 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Skid Steer Grapple Buckets



- The Skid Steer Grapple Bucket is ideal for land clearing and site prep.
- Load or pile logs, brush, demolition debris and many other materials.
- Heavy duty industrial cylinders
- 8 greasable fittings and universal skid steer hook-up.
- Hose kit and Quick Connect fittings included.

| Solesbee Model # | Width | Height | Depth | Opening | Approximate Weight (lbs.) |
|------------------|-------|--------|-------|---------|---------------------------|
| SBG-166 | 66" | 42" | 36" | 42" | 850 |
| SBG-173 | 73" | 42" | 36" | 42" | 900 |
| SBG-184 | 84" | 42" | 36" | 42" | 950 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Skid Steer Attachments

Skid Steer Pallet Forks with Frame



- No costly rental fees or forklift investment.
- Fully forged with a certified 3 to 1 strength factor.
- Our forks are 1 1/2" thick, 4" wide, 48" long, completely heat treated, and rated to carry 3,500 lbs.
- Includes carriage and set of forks.
- Universal skid steer hook-up.
- We only use American made forks.

Anyone that owns a skid steer should have a set of forks on hand. Forks are ideal for lifting pallets, loading lumber or just about anything else. We put a step on both sides of the frames so the operator can easily climb into the cab.

| Solesbee Model # | Width | Height | Length | Approximate Weight (lbs.) |
|------------------|-------|--------|--------|---------------------------|
| SPF-48 | 48" | 40" | 48" | 444 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Farm Tractor Grapples



- Models in JD Green
- HOOK UPS for JD Farm Tractor Loaders 500 - 600 - 700
- Same features as our standard grapple rake.

| Solesbee Model # | Width | Height | Depth | Opening | Teeth | Approximate Weight (lbs.) |
|------------------|-------|--------|-------|---------|-------|---------------------------|
| SFG-166 | 66" | 35" | 32" | 39" | 8 | 800 |
| SFG-173 | 73" | 35" | 32" | 39" | 9 | 850 |
| SFG-184 | 84" | 35" | 32" | 39" | 10 | 900 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.

Skid Steer Rakes



- Load or pile logs, brush, rocks, demolition debris and many other materials.
- Ideal for land clearing, separating and sorting materials.
- Universal skid steer hook-up.

| Solesbee Model # | Width | Height | Depth | Opening | Teeth | Approximate Weight (lbs.) |
|------------------|-------|--------|-------|---------|-------|---------------------------|
| SSR-166 | 66" | 43" | 36" | 42" | 8 | 800 |
| SSR-172 | 72" | 43" | 36" | 42" | 9 | 850 |
| SSR-184 | 84" | 43" | 36" | 42" | 10 | 900 |

Note: Specifications, dimensions & weight are approximate and subject to change without notice.




Skid Steer Attachments

Skid Steer Tree Shears




- Quick attach coupler or pin on couplers for skid steers, tractors, telehandlers, backhoes and wheeled loaders.
- Single 1.25 blade eliminates complicated adjustments and sharpening and normally causes tree to fall to the left.
- Unique serrated tooth holds tree during cutting.
- Cut trees laying on the ground into firewood.
- Our Tree Shear is capable of cutting 12" trees.
- Powered by a 5" x 12" cylinder, rotates 90 degrees and has a 1" thick AR400 blade.



Skid Steer Brush Cutters



- 3 bi-directional blades on the 72" and 60" brush cutter.
 - A 14-30 GPM is required on either unit, high flow units available.
 - Smooth deck for easy cleaning.
 - Direct drive Parker Motor with cushion valve for a smooth shutdown with Omni Gear box.
 - One year warranty does not cover the blades or hoses.
- Cut 5" tree/scrub or mow grass.
 - 3 bi-directional blades, 75HP gear box, and Parker motor on both brush cutters, 60" or 72" mowing deck.
 - A flow of 14-28 gpm is required on the low flow, and 27-50 gpm on the high flow.
 - One year warranty does not cover the blades or hoses.



Skid Steer Augers



- Auger consists of a motor and gearbox, no chains to break or come loose.
- Auger drive is complete with mounting plate, hoses and couplings.
- Output shaft is a 2 9/16" drive, powerful enough for the toughest jobs.
- In-line drive design - 2" Round, 2" Hex available.
- Available in many sizes for Mini Skid Steer Loaders, Digger Derricks, Mini Excavators, Loaders Mounts and everything in between.

Skid Steer Trenchers




- Trencher has heavy duty planetary drive system which eliminates chain reduction.
- Replaceable spoil auger which mounds most spoil to one side of trench.
- Exceptional visibility and structural strength.
- Manual side-shift for trenching close to structures.
- Call for info and pricing.

Skid Steer Attachments

Stump Grapple Buckets





- No need to have another attachment for loading the stump into your dump truck, or moving the stump to a burn pile.
- Made from 1/2" top quality plate.
- 1" cutting edge.
- Replaceable teeth and 3/8" hose.
- Opens to 45" - length 34".
- Available without grapple.
- Hose kit and quick connect fittings included.



Stump Buckets




- Easily dig around the stump, then pop it out.
- Some contractors dig house footings with the stump bucket.
- These stump buckets will enable you to be more versatile in your contracting needs.
- Available with grapple.



Tree Booms



- Easily pick up trees to be planted, transported or loaded.
- The boom is constructed from 3" x 3" tubing that is 1/4" thick.
- It is rated to carry 3,000 lbs.




Skid Steer Attachments

High Back Hay Spears



High Back Model




- Easily move bales of hay with a quick hook up on your Skid Steer.
- With the option of our high-back, you increase your leverage and safety when rolling the bail back towards the cab.

Skid Steer Hay Spears



Standard Model



Quick Attach Plates



- Easily convert your existing attachment to the universal skid steer hook up.
- Simply weld or bolt the quick attach plate to the implement you wish to convert.
- Standard quick attach plates are 1/4" thick and are solid across the back.
- Mounts are 3/8" thick.
- Plates can be made thicker or thinner for different applications.

3-Point Hitches



- Simply drive your skid steer up to the implement, hook it up and go.
- No need to get your tractor out, just to move some attachments around.




Skid Steer Attachments

Angle Brooms




- Choice of either a hydraulic or manual angle.
- Powered by a reversible Parker motor.
- Available sizes - 72" • 84"



4-N-1 Buckets




- Ideal for grappling, dozing, back filling, loading, digging and fine grading.
- Bucket cylinders have a 2.5" bore and an 8" stroke.
- Equipped WITH 3/4" x 6" cutting edge on the digging edge and 1/2" x 4" at all other ground engaging points.
- Over sized points and bushings.
- Every pivot point has grease fittings.
- Every unit exceeds the lifting capacity of the skid steer machine it is used on.
- Optional weld on teeth are available.
- Optional bolt on edge is available.
- Hose kit and Quick Connect fittings included.
- Available sizes - 60" • 66" • 72" • 78 • 81" • 84".



Rock Buckets



- It will catch any rock or piece of debris that is larger than 2 3/8"
- Optional weld on teeth are available.
- Optional bolt on edge is available.
- Available sizes - 63" • 72" • 81".




Skid Steer Attachments

Long Bottom Buckets




- Holds more material than the low profile bucket.
- Optional weld on teeth are available.
- Optional bolt on edge is available.
- Available sizes - 66" • 72" • 78" • 81" • 84.



Low Profile Buckets



- Optional weld on teeth are available.
- Optional bolt on edge is available.
- Available sizes - 66" • 72" • 78" • 81" • 84.



Tooth Bars



- Simply drill a hole on each side of your bucket and bolt on the tooth bar.
- Shanks on the tooth bar hook onto your existing cutting edge, putting all the pressure on the cutting edge.
- Tooth bar teeth are all replaceable, so you don't have to worry about breaking one.
- Mounts are 3/8" thick.
- Available sizes.
63" • 66" • 72" • 78" • 81"





Skid Steer Attachments

Snow Plows




- Designed to become an Angle Blade (Dozer Blade) with ease.
- Plow has 1/2" thick 6" wide replaceable bolt on cutting edges.
- Comes with two 3" bore 6" stroke cylinders, couplings, hoses.
- Blade trips when hitting something, powerful springs retract the blade into position as soon as the object is cleared.
- Plow is ready to use when received.
- Available sizes 72" • 84" • 96".
- Mullboard height 32".



Snow Pushers




- Ideal pushing large volumes of snow and clearing parking lots quicker than a snow plow.
- Edge is 1" thick adjustable, reversible and replaceable rubber so you don't tear up the pavement.
- Mold board is 1/4" and the sides are 5/16" thick for extra support.
- Available sizes - 72" • 84" • 96"



Snow & Litter Buckets



- Ideal for lifting large volumes of mulch, manure, sawdust, shavings, snow and any other type of loose or light debris.
- Optional weld on teeth or bolt on edge are available.
- Available sizes - 66" • 72" • 78" • 81" • 84.



Parts

Attachment Parts & Accessories

Manual Thumb Pins



| Solesbee Model # | Diameter | Length |
|------------------|----------|--------|
| SET-1SPA | 2" | 7.75" |
| SET-1LPA | 2" | 13.25" |
| SET-1.5SPA | 2.5" | 9.13" |
| SET-1.5LPA | 2.5" | 15.44" |
| SET-2SPA | 2.75" | 10" |
| SET-2LPA | 2.75" | 15.25" |
| SET-2.5SPA | 3" | 10.37" |
| SET-2.5LPA | 3" | 15.88" |
| SET-3SPA | 3" | 10.37" |
| SET-3LPA | 3" | 15.88" |
| SET-4SPA | 3" | 11.63" |
| SET-5LPA | 3" | 17.88" |

Thumb Stiff Arm



| Solesbee Model # | Pin diameter | Length |
|------------------|--------------|--------|
| Set-1 SAA | 2" | 28.37" |
| SET-1.5 SAA | 2.5" | 34.75" |
| SET-2 SAA | 2.75" | 35.60" |
| SET-2.5 SAA | 3" | 43.20" |
| SET-3 SAA | 3" | 43.20" |
| SET-4 SAA | 3" | 51.00" |

Thumb Baseplate



| Solesbee Model # | Pin diameter | Length |
|------------------|--------------|--------|
| Set-1 BPA | 5.5" | 30" |
| SET-1.5 BPA | 8" | 38" |
| SET-2 BPA | 9" | 42" |
| SET-2.5 BPA | 9.25" | 46" |
| SET-3 BPA | 9.25" | 46" |
| SET-4 BPA | 11" | 54" |

Parts

Hydraulic Thumb Main Pins




| Solesbee Model # | Thumb Main Pins | Pin Diameter | Length |
|------------------|-----------------|--------------|--------|
| SET-1H | 45 MM MP | 45mm | 19.25" |
| SET-1H | 50 MMMP | 50mm | 19.25" |
| SET-1.5H | 60 MM MP | 60mm | 25" |
| SET-1.5H | 65MM MP | 65mm | 29.5" |
| SET-2H | 65MM MP | 65mm | 29.5" |
| SET-2H | 70MM MP | 70mm | 29.5" |
| SET-2.5H | 80MM MP | 80mm | 36.25" |
| SET-3H | 80MM MP | 80mm | 36.25" |
| SET-4H | 90MM MP | 90mm | 36.25" |
| SET-4H | 100MM MP | 100mm | 41" |
| SET-5H | 110 MM MP | 110mm | 43.5" |

Hydraulic Cylinder Pins



| Solesbee Model # | Hyd Cylinder Pins | Pin Diameter | Length |
|------------------|-------------------|--------------|--------|
| SET-1H | BPP | 1" | 5" |
| SET-1H | CHP | 1" | 7" |
| SET-1.5 H | BPP | 2.5" | 7" |
| SET-1.5H | CHP | 2.5" | 11" |
| SET-2.5H | BPP | 2.5" | 7" |
| SET-2.5H | CHP | 2.5" | 11" |
| SET-3H | BPP | 2.5" | 7" |
| SET-3H | CHP | 2.5" | 11" |
| SET-4H | BPP | 2.5" | 7" |
| SET-4H | CHP | 2.5" | 11" |

Dozer Rake Brackets



| Solesbee Model # | Pin Diameter | Length |
|------------------|--------------|--------|
| SEFR-3 | 2" | 11.25" |
| SEFR-4 | 2" | 11.25" |
| SEFR-5 | 3" | 13" |
| SEFR-6 | 3" | 13" |

Parts

Hydraulic Cylinder Pins



| Solesbee Model # | Closed | Open | Pin Size |
|------------------|--------|------|----------|
| SET-.5H | 28 | 48 | 0.75 |
| SET-.5HSM | 20 | 32 | 0.75 |
| SET-.75H-CY | 28 | 48 | 0.75 |
| SET-.75HSM-CY | 20 | 32 | 0.75 |
| SET-1H-CY | 28 | 48 | 1 |
| SET-1HSM-CY | 20 | 32 | 1 |
| SET-1.5H-CY | 45 | 75 | 2.5 |
| SET-1.5HSM-CY | 45 | 75 | 2.5 |
| SET-2H-CY | 45 | 75 | 2.5 |
| SET-2HSM-CY | 45 | 75 | 2.5 |
| SET-2.5/3H-CY | 52 | 88 | 2.5 |
| SET-2.5/3HSM-CY | 45 | 75 | 2.5 |
| SET-4H-CY | 52 | 88 | 2.5 |
| SET-4HSM-CY | 52 | 88 | 2.5 |
| SET-5H-CY | 59 | 95 | 3 |

Cylinder Bushings



| Solesbee Model # | ID | Size |
|------------------|---------|------|
| BUS-250 x 300 | 2.5 ID | 2.5" |
| BUS-300 x 350 | 3.01 ID | 3.0" |

Hydraulic Thumb Bushings



| Solesbee Model # |
|------------------|
| BUS-40 mm |
| BUS-45 mm |
| BUS-50 mm |
| BUS-55 mm |
| BUS-60 mm |
| BUS-65 mm |
| BUS-70 mm |
| BUS-75 mm |
| BUS-80 mm |
| BUS-85 mm |
| BUS-90 mm |
| BUS-95 mm |
| BUS-100 mm |
| BUS-110 mm |

Retaining Lock Collars



| Solesbee Model # |
|------------------|
| RLC-45 65 |
| RLC-50 70 |
| RLC-60 80 |
| RLC-65 90 |
| RLC-70 70 |
| RLC-80 80 |
| RLC-90 90 |

Warranty

Limited Warranty

Solesbee's Equipment & Attachments LLC products are warranted to be free from defects in workmanship or materials for a period of (12) months.

Non-Covered Items

- This warranty does not cover normal wear items, including but not limited to, bearings, ground engaging parts such as, teeth, blades, cutting edges, pilot bits, auger teeth and broom bristles.
- This warranty does not cover maintenance, service or adjustments.
- This warranty does not cover damage due to misuse, negligence, accidents, or improper maintenance.
- This warranty does not cover damage due to improper application, installation, adjustment or setup.
- This warranty does not cover improper modification of product.
- This warranty does not cover disassembly of components, i.e. pumps, gear boxes, motors.
- This warranty does not cover replacement parts not supplied by Solesbee's Equipment & Attachments LLC.

Warranty Statement

Our obligation under this Limited Warranty shall be solely limited to repairing or replacing any part (see non-covered items) free of charge that, according to our judgment, shows evidence of a defect in quality of workmanship or materials for the stated (12) month warranty period. This Limited Warranty shall not be interpreted to render Solesbee's Equipment & Attachments LLC liable for any injury or damage to persons, business or property of any kind nor expenses or losses incurred for labor, supplies, substitute machinery rental, or for any other reason. Repair or replacement parts are subject to supply conditions at the time of repair or replacement, which may directly affect our ability to obtain material and/or replacement parts. Solesbee's Equipment & Attachments reserves the right to make improvements in design or changes in specifications at any time without incurring any obligations to owners of previously purchased units. No one but Solesbee's Equipment & Attachments LLC is allowed to alter, modify or enlarge this warranty nor the exclusions, limitation and reservation at any time.







Solesbee's
Equipment & Attachments LLC



4150 Fairburn Road • Douglasville, GA 30135
Ph. 770-949-9231 • Fax 770-947-9916

1-800-419-8090
www.solesbees.com